

Diamant - Trennsäge TYP TS 40

Diamond - Disc Saw TYPE TS 40


599 Öl/Oil

TS40302-1C
 ab 04/2023 nicht mehr verbaut
 from 04/2023 no longer installed

TS4030.2

Sägeblatt
 Sawblade

erfordert Blattschutz TS40302.2C
 required Bladeguard TS40302.2C



240423

**Spare Parts Price List - Diamond - Disc Saw
Type TS 40 - Motor**

EPE-TS40 091023

FIG	NO	DESCRIPTION	STANDARD	TYPE	PART NO
10	1	Motorcase			TS40101
15	1	Motor Top Case			TS40103
	1	Motor Top Case		TS40 LH	TS40103.6
20	1	Case Sleeve			TS40104
25	1	Switch Handle cpl.			TS40105
30	1	Rotor with Bearings			TS40108
35	1	Stator cpl.			TS40109
50	1	Motor Top Case Hood incl. Fig. 65, 110			TS40128C
55	1	Insulation Film			TS40522
65	1	Terminal Case Packing			DK10122
75	1	Ball Bearing			6060011
80	1	Ball Bearing			6062902
85	1	Needle Bush	HK1010		6310100
90	1	Compensation Washer			2628171
	1	Shim Ring		TS40 LH	1920281
92	1	Compensation Washer		TS40 LH	2626193
95	1	O-Ring	RDR78X2		5578002
100	2	O-Ring	RDR74X4		5574004
105	1	O-Ring	RDR72X2		5572002
110	1	O-Ring	RDR55X2		5555002
113	1	O-Ring	RDR26X2	TS40 LH	5526002
115	1	O-Ring	RDR11x2,5		5511025
120	1	O-Ring	RDR8x2		5508002
130	1	Rotary Shaft Seal	RWD12x24x7A		5012247
140	2	Hex. Socket Head Screw	M6x20		0106020
145	4	Hex. Socket Head Screw	M5x50		0105050
150	4	Hex. Socket Head Screw	M5x20		0115020
155	4	Hex. Socket Head Screw	M5x16		0105016
165	2	Cheese head screw	M3x10		0303010
170	2	Sl. Pan Head Screw	M4x6		0304006
175	5	Pan Head Tapping Screw	F3,9x19 (BZ)		0539019
180	2	Pan Head Tapping Screw	F3,9x13 (BZ)		0539013
185	2	Curved Spring Washer	A4		1804137
190	2	Locking Washer	SM6		1806000
195	8	Locking Washer	SM5		1805000
200	1	Medium Washer	4,3x8x0,5 Ms		1804433
210	1	Cord cpl. with male insert, Fig. 225,235,240,245,298	6G1,5x4,4 10P		8744510
220	1	Switch Strand	1,5²x200		8715202
	2*	Switch Strand	1,5²x290		8715290
225	1	Cord Sleeve	D12		8701200
227	1	Handle for Socket Case			8006001
230	1	Motor Switch			8010201
235	1	Cord Gland	M20x1,5 7-13		8820152
240	1	Cord Gland	M20x1,5 6x2,5		8862520
245	1	Hood	6B EMV		8016106
249	1	Terminal Block cpl. with marking (fig.250,255,260)			7924300
250	1	End Terminal Block with Fixing Flange			7924301
255	4	Center Terminal Block			7924321
260	1	End Plate with Fixing Flange			7900361
265	1	Cord Clamping Piece			8800010
270	1	Angle Screwing	G 1/4"		7015010
275	1	Socket			7014026
280	1	Quick Connect Nipple			DK20225
285	2	Hose Piece cpl. with nipples			DK30235
290	1	Ball Valve			7014041
295	7	Sealing Ring	G1/4"		7014003
298	1	Protective Hood			8016504

**Spare Parts Price List - Diamond - Disc Saw
Type TS 40 - Gear**

FIG	NO	DESCRIPTION	STANDARD	TYPE	PART NO
300	1	Gear Box cpl. with 1x adjust sleeve (fig. 410)			TS40201-1C
	1	Gear Box cpl. with 1x adjust sleeve (fig. 410)		TS40 LH	TS40201.3C
302	1	Bearing Hood cpl. with Pos. 350,355,425,430,455,460,485			TS40203C
	1	Bearing Hood cpl. with Pos. 350,355,425,430,455,460,485		TS40 LH	TS40203.3C
304	1	Handle cpl.			TS40205-1C
305	1	Spindle incl. Shaft wearing sleeve			TS40206C
	1	Spindle incl. Shaft wearing sleeve		TS40 LH	TS40206.3C
310	1	Pinion Shaft			TS40208
315	1	Spur Wheel			TS40209
316	1	Sleeve incl. O-Ring			TS40210C
320	1	Spindle Flange			TS40214-1
	1	Spindle Flange		TS40 LH	TS40214.3
325	1	Spindle Wheel			TS40215
330	1	Blade Flange			TS40216
335	1	Pressure Disk			TS40219
340	2	Shaft Wearing Sleeve			TS40220
345	1	Fixing Sleeve			HS40222
350	1	Locking Knob			DK11223
355	1	Locking Pin			TS40224
360	1	Supporting Disk			TS40230
365	1	Valve Shaft			HS40232
370	1	Cap Nut			HS40234
375	1	Sealing Sleeve			HS40236
385	1	Bearing Ring			TS40248
390	1	Handle Axle			TS40250
395	1	Distance Sleeve		TS40302.2C	TS40254.2
	1*	Distance Sleeve			TS40254
405	1	Stop Sleeve			TS40258
410	2	Adjust Sleeve			TS40280-1
414	1	Handle			8900014
415	1	Ball Bearing	6004 2RS		6060044
420	1	Ball Bearing	6004		6060040
425	1	Needle Bush	HK1212		6312120
430	1	O-Ring	RDR60x2		5560002
435	1	O-Ring	RDR42x2		5542002
440	2	O-Ring	RDR32x1,5		5532015
450	1	O-Ring	RDR8x2		5508002
455	1	O-Ring	RDR7x1,5		5507015
460	2	O-Ring	RDR6x1		5506001
465	2	Rotary Shaft Seal	RWD20x32x7A		5020320
470	1	Rotary Shaft Seal	RWD16x30x7A		5016301
	1*	Rotary Shaft Seal	RWD16x30x7A		5016307
475	1	Rotary Shaft Seal	RWD28x35x4		5028354
	1*	Quad-Ring	28x29,7x3,5		5028293
480	1	Pressure Spring	2,0x12,5x22,5		4320225
485	1	Pressure Spring	0,8x5x17,5		4308175
490	1	Parallel Key	A5x5x12		3005012
495	1	Parallel Key	A5x5x10		3005010
500	1	Shim Ring	PS42x52x1		1942521
505	1	Shim Ring	PS8x14x1		1908141
510	1	Retaining Ring	13x1		3513001
515	1	Retaining Ring	16x1		3516001
520	2	Retaining Ring	20x1,2		3520012
525	1	Retaining Ring	42x1,75		3542175
530	1	Tapered Retaining Ring	JB62x2,05		3462205
535	1	Hexagon Head Screw			TS40276
540	2	Hex. Socket Head Screw	M6x20		0106020
545	1	Hex. Socket Head Screw	M5x50		0105050
550	1	Cheese head screw	M3x8		0303008
555	7	Count. Head Screw	M5x16		0405016
560	1	Hexagon Nut with prevailing torque insert	M8		1008985
565	1	Medium Washer	8,4x21x4		1821844
568	1	Medium Washer	6,4		1806125
570	2	Locking Washer	SM6		1806000
575	1	Locking Washer	SM5		1805000
580	1	Angle Quick Connect Nipple	G1/4"/8		7014868
585	1	Toggle Grip	M3		2703220
590	1	Wing Nut	M6		1006315
595	1	Cam Lever cpl. with Pressure Disc	M8		2708158
598	1	Pressure Disc			2708003
599	1	Gear Oil	90ml		9009004

**Spare Parts Price List - Diamond - Disc Saw
Type TS 40 - Blade Guard**

FIG	NO	DESCRIPTION	STANDARD	TYPE	PART NO
600	1	Blade Guard cpl. with Pos. 624-695, 395			TS40302.2C
	1*	Blade Guard cpl. with Pos. 630-695, 395			TS40302-1C
	1	Blade Guard cpl. with Pos. 624-695, 395		TS40 LH	TS40302.3C
624	1	Blade Guard Cover		TS40302.2C	TS40304.2
	1	Blade Guard Cover		TS40302.3C	TS40304.3
626	1	Restraint bolt		TS40302.2C	TS40305.2
630	1	Locking Gib		TS40302.2C	TS40308.2
	1*	Locking Gib			TS40308
	1	Locking Gib		TS40302.3C	TS40308.3
632	1	Sliding disc		TS40302.2C	TS40312.2
633	3*	Reinforcing Rib			TS40318
635	4*	Distance Sleeve			TS40324
640	1	Splash Guard		TS40302.2C	TS40328.2
	1*	Splash Guard			TS40328
642	1	Splash guard clamp cpl.		TS40302.2C	TS40330.2C
643	1	Splash guard clamp		TS40302.2C	TS40330.2
645	1	Clamping Plate		TS40302.2C	TS40332.2
	1*	Clamping Plate			TS40332
647	1	Axle		TS40302.2C	TS40334.2
655	1*	Reinforcement Ring			TS40242
657	2	Locking washer		TS40302.2C	3608001
665	6	Hex. Socket Head Screw	M5x12		0115012
666	1	Hex. Socket Head Screw	M5x20		0105020
667	1	Round Head Flanged Screw	M6x8	TS40 LH	0106008
670	1	Mushroom Head Square Neck Bolt	M6x60		0506060
	1	Mushroom Head Square Neck Bolt	M6x70	TS40 LH	0506070
673	9	Count. Head Screw	M4x16		0404016
675	4	Count. Head Screw	M5x10		0405010
676	3	Th. Roll. Counter Sunk Screw	M5x12		0405112
678	6	Th. Roll. Cheese Head Screw	M5x8		0505008
680	2	Slotted Cheese Head Screw	M5x10		0205010
685	8	Hexagon Nut	M5		1005000
688	2	Spring Plungers		TS40302.2C	4361455
689	5	Parallel Pin		TS40302.2C	2505158
694	1	Locking Washer	SM6	TS40 LH	1806000
695	7	Locking Washer	SM5		1805000

**Spare Parts Price List - Diamond - Disk Saw
Type TS 40 - Equipment**

FIG	NO	DESCRIPTION	STANDARD	TYPE	PART NO
	1	Accessory kit - flush			TS4030.2
756	1	Distance Disc			TS40213.2
765	1	Blade cover			TS40304.4
770	6	Count. Head Screw	M6x18		0406018

Available from April 1st, 2023 for the blade guard TS40302.2C.

Attention: until serial number 0315028 the spindle flange TS40214 must be changed, additionally

FIG	NO	DESCRIPTION	STANDARD	TYPE	PART NO
	1*	Accessory kit - flush			TS4030
755	1*	Distance Disc			TS40213-2
760	1*	Nozzle Screw			TS40276.1
770	6	Count. Head Screw	M6x18		0406018
	1	Wrench	SW32		9889432

Attention: until serial number 0315028 the blade guard must be changed against TS40302-1C and the spindle flange TS40214, additionally.

Spare Parts Price List - Diamond - Disk Saw Type TS 40 - Special Parts

FIG	NO	DESCRIPTION	STANDARD	TYPE	PART NO	
	1	Male Insert without Male Contacts	10P		8016312	
	5	Male Contact	1,5 ²		8016815	
	1	Coding Bridge			TS40540	
	1	Face Pin Wrench	50x5		9800505	
	1	Wrench	SW17		9889417	

* parts are substituted

The prices listed are gross prices in € per item, plus statutory Value added tax.

When ordering spare parts, please always state: machine number, quantity, designation, spare part number and, for electrical parts, the nominal voltage (if different from 230 V).

WEKA Elektrowerkzeuge KG, Auf der Höhe 20, D 75387 Neulach - Albulach
 Telephone: +49 7053 96816-0, spare parts: +49 7053 96816-14 · Telefax: +49 7053 3138
 Internet: www.weka-elektrowerkzeuge.de · E-mail: weka@weka-elektrowerkzeuge.de

Subject to change without notice